

# **HUD-SON** *Forest Equipment*

VOLUME 60 NUMBER 4 - \$3.00



8201 State Route 12 • Barneveld NY • 13304 • 1.800.765.7297 • [www.hud-son.com](http://www.hud-son.com)

Hud-Son Forest Equipment - Promoting personal safety & environmentally friendly use of forestry equipment by the owner-operator and business professional in the commercial and private markets.



## The Forest Owner's 1st Source For Forest Equipment

### UNITED STATES HEADQUARTERS

- Hud-Son Forest Equipment
- 8201 State Route 12 P.O. Box 345
- Barneveld • NY 13304
- 1-800-765-7297
- Fax: 315-896-2627
- [info@hud-son.com](mailto:info@hud-son.com)



### HUD-SON FOREST EQUIPMENT OF CANADA

- Davis Forestry, Ltd
- 1048 11th Line West
- Campbellford
- Ontario K0L 1L0
- 705-653-4647
- [davisforestry@xplornet.com](mailto:davisforestry@xplornet.com)



1.800.765.SAWS • [www.hud-son.com](http://www.hud-son.com) • [info@hud-son.com](mailto:info@hud-son.com)



### 3 Manual and Hydraulic Sawmills



### 12 Why Buy A Hud-Son Sawmill?



### 14 Sawmill Options/Accessories



### 16 Tools & Accessories



**HUD-SON**  
*Forest Equipment*

1.800.765.SAWS • info@hud-son.com

For Current Pricing see  
[www.hud-son.com](http://www.hud-son.com)



- 17 Hud-Son Firewood Bundler**  
Comes standard with wheels to make it easier for maneuvering around the worksite and for storage.
- 19 Hud-Son Firewood Processors**  
Hud-Son Processors are an efficient and well built piece of equipment with a wide range of accessories.
- 22 The BEAST** Hud-Son's most powerful firewood processor.
- 25 Conveyors** These conveyors are constructed on a heavy steel frame and make any job easier.
- 26 Uniforest Cable Winches** These winches fit any size farm tractor and turn it into a safe and low impact log skidder. With decades of use in the field these winches have stood the test of time.
- 28 Farmi Skidding Winches** The Farmi line of winches can convert farm tractors from 17 to 200 horse power into productive forest machines.
- 29 Hud-Son Road Trailers**  
Handles up to 10,000 lbs. Make forwarding or hauling logs easy.
- 31 Hud-Son Log Loaders**  
Are efficient and strongly built equipment for use all year round.
- 32 Grapples** Log grapples, rotators - We have it all - Before you buy, compare prices for grapple loaders at Hud-Son.
- 33 Hud-Son Screeners**  
Removes stones, sod, sticks and other debris from dry top soil.
- 34 Farmi Wood Chippers**  
Eliminate tree limbs, branches, brush & debris quickly, safely, & easily.
- 35 Tenon Cutters, Log Tools & Accessories** Build beds, tables, railings & more. Great for the craftsman, hobbyist & homeowner.

Would you like to join  
our team of  
Hud-Son Forest  
Equipment Dealers?

If you would like to  
see some  
of our equipment  
in action  
just log onto  
[www.hud-son.com](http://www.hud-son.com)  
to watch videos!

For Current Pricing see [www.hud-son.com](http://www.hud-son.com)



# Oscar 18

## PORTABLE SAWMILL

**Call For  
Current Pricing**

### STANDARD FEATURES

- Ground Track 2-6' Sections
- 18" Diameter Log Capacity
- 6.5 HP Vanguard Engine Manual Start
- Centrifugal Clutch
- Standard With Industrial 1.5" Pillow Block Bearings On Drive & Driven Bandwheels
- 16" Diameter Bandwheels
- Hand Crank Height Adjustment
- DoubleHard Woodmizer Blade
- Powder Coat Finish
- Band Blade Lubrication Tank
- Dual Measuring System: 4, 5, 6 & 8 Quarter Scale & Standard 1" w -1/16" Scale
- Standard With Hud-Son Shoe Guides
- 2 Log Dogs



**Ground  
model**

Shipping FOB Barneveld, NY  
Canadian Customers Contact Your Local  
Dealer for Canadian Dollar Pricing  
FOB Ontario Canada.

Oscar 18 complete  
Unit includes a 6.5 HP engine  
Oscar 18 with Complete 12' ATV  
Trailer is available  
Options for 18 Mill  
6' Track extensions  
Extra Log Dog Assembly  
Bandmill blades WM132  
RPM & Hour Meter

VISIT  
[WWW.HUD-SON.COM](http://WWW.HUD-SON.COM)  
TO VIEW VIDEOS



**Shown with optional trailer. Wheels must be removed from  
trailer to operate sawmill.**

# Oscar 228

## PORTABLE SAWMILL

**Call For  
Current Pricing**

**THE FOREST  
OWNERS 1ST SOURCE  
OF FOREST  
EQUIPMENT**

**SEE  
VIDEOS AT  
[WWW.HUD-SON.COM](http://WWW.HUD-SON.COM)**

**NEW!  
ROAD TOWABLE  
TRAILER**

### STANDARD FEATURES

- 2-6' Ground Track Sections
- 28" Diameter Log Capacity
- 8.0 HP Engine Manual Start
- Centrifugal Clutch
- Standard With Industrial 1.5" Pillow Block Bearings On Drive & Driven Bandwheels
- 16" Diameter Bandwheels
- Hand Crank Height Adjustment
- DoubleHard Woodmizer Blade
- Powder Coat Finish
- Band Blade Lubrication Tank
- Dual Measuring System: 4, 5, 6 & 8 Quarter Scale & Standard 1" w- 1/16" Scale
- Standard With Hud-Son Shoe Guide
- 2 Log Dogs

***The Forest Owner's 1st Source!***

# Oscar 228-E

## ELECTRIC MODEL AVAILABLE



Oscar 228 E complete - unit includes  
a 5 HP 220 volt single phase

Options for 228 Mill  
6' Track extensions  
Extra Log Dog Assembly  
Bandmill blades WM132  
RPM & Hour Meter



Shipping FOB Barneveld, NY • Canadian Customers Contact Your Local Dealer for Canadian Dollar Pricing FOB Ontario Canada.



# Oscar 230

## PORTABLE SAWMILL

**Call For  
Current Pricing**

### STANDARD FEATURES

- 14' Ground Track 2-7' Sections
- 30" Diameter Log Capacity
- 10 HP Vanguard Briggs & Stratton Engine Manual Start
- 2 Adjustable Log Dogs
- Blade Lubrication System
- Centrifugal Clutch
- Four Post System with 1.5" square Tube
- Standard Industrial 1.5" Pillow Block Bearings On Drive & Driven Bandwheels
- 16" Diameter Bandwheels
- Hand Crank Height Adjustment
- DoubleHard Woodmizer Blades
- Powder Coat Finish
- Standard with Hud-Son Shoe Guides
- Dual Measuring System: 4, 5, 6 & 8 Quarter Scale & Standard 1" w - 1/16" Scale



### Options for Oscar 230

- Power Feed 12V with adjustable speed control forward & reverse (Requires 16HP)
  - Log Ramps for trailer model
  - Extra Log Dog assembly
- 7' Ground tracks
- Bandmill Blade WM160
- RPM & Hour Meter

*\*Note: 16HP includes battery, electric starter, compatible for electric powered options*



### Oscar 230 Complete Units Available

- 30" 10HP Ground track unit
- 30" 13HP Ground track unit
- 30" 16HP Ground track unit
- 30" 10HP 20' trailer unit
- 30" 13HP 20' trailer unit
- 30" 16HP 20' trailer unit

Shipping FOB Barneveld, NY • Canadian Customers  
Contact Your Local Dealer for Canadian Dollar  
Pricing FOB Ontario Canada.

# Oscar 236

## PORTABLE SAWMILL

**Call For  
Current Pricing**



### STANDARD FEATURES

- 14' Ground Track 2-7'-Sections
- 36" Diameter Log Capacity
- 16 HP Vanguard Briggs & Stratton Engine Electric Start
- 2 Adjustable Log Dogs Blade Lubrication System Centrifugal Clutch
- Four Post System with 1.5" square Tube
- Standard Industrial 1.5" Pillow Block Bearings On Drive & Driven Bandwheels
- 19" Diameter Bandwheels
- 12V Winch Powers Height Adjustment
- DoubleHard Woodmizer Blade
- Powder Coat Finish
- Standard with Hud-Son Shoe Guides
- Dual Measuring System: 4, 5, 6 & Quarter Scale & Standard 1" w-1/16" Scale

### Options for Oscar 236

- Power Feed 12V with adjustable speed control forward & reverse (Requires 16HP)
- Log Ramps for trailer model
- Extra Log Dog assembly
- 7' Ground tracks
- Bandmill Blade WM167
- RPM & Hour Meter



Speed Control Box

### Oscar 236 Complete Units:

- 36" 16HP ground track unit
- 36" 21HP ground track unit
- 36" 23HP ground track unit
- 36" 16HP 20' trailer unit
- 36" 21HP 20' trailer unit
- 36" 23HP 20' trailer unit



Power Feed Motor



Shipping FOB Barneveld, NY

- Canadian Customers Contact Your Local Dealer for Canadian Dollar Pricing FOB Ontario Canada.



# Farm Boss

## PORTABLE SAWMILL

**Call For  
Current Pricing**

### STANDARD FEATURES

- 36" Diameter Log Capacity Accepts Logs from 3' to 21' Long
- 16 HP Vanguard Briggs & Stratton Engine Electric Start
- 3 Adjustable Log Dog Squaring Pins
- 24' Bed 3x6 Box Beam Trailer with Cross Supports
- Light Kit for Road Travel with 4 Way Plug
- Trailer/Fenders
- 6 Adjustable Support Legs
- Blade Lubrication System
- Centrifugal Clutch
- Extra Heavy Duty Carriage Head
- Four Post System with 2" square tube
- 12V Winch Powers Height Adjustment
- Standard Industrial 1.5" Pillow Block Bearing On Drive & Driven Bandwheels
- 19" Diameter Bandwheels
- DoubleHard Woodmizer Bandmill Blades
- Powder Coat Finish
- Standard with Hud-Son Shoe Guides
- Dual Measuring System: 4, 5, 6 & 8 Quarter Scale and Standard 1" with 1/16" Scale

**VISIT [WWW.HUD-SON.COM](http://WWW.HUD-SON.COM)**



### TIME SAVING OPTIONS



Speed Control Box



Power Feed Motor

#### Farm Boss 36 Complete Units:

36" Farm Boss 16 HP V-Twin

36" Farm Boss 21 HP V-Twin

36" Farm Boss 23 HP V-Twin

34 HP Diesel

**SEE LIVE VIDEOS AT  
[WWW.HUD-SON.COM](http://WWW.HUD-SON.COM)**

#### Options:

Power Feed 12V w/adjustable speed control forward & reverse

Trailer Extension per foot

12 Volt Cable operated log loader & turner w/ramps

25" Bandwheels with large guards (upgrade)

Extra Log Dog and assembly

Bandmill Blade WM167

Optional Electric

Brake Axle

RPM & Hour Meter

Gas Model

**SEE LIVE VIDEOS AT  
[WWW.HUD-SON.COM](http://WWW.HUD-SON.COM)**

Shipping FOB Barneveld, NY • Canadian Customers Contact Your Local Dealer for Canadian Dollar Pricing FOB Ontario Canada.

# H360 HYDRAULIC SAWMILL

**Call For  
Current Pricing**



**PRICES SUBJECT TO CHANGE  
WITHOUT NOTICE!**

**TOP  
SELLING  
HYDRAULIC  
SAWMILL**

Shipping FOB Barneveld, NY

- Canadian Customers Contact Your Local Dealer for Canadian Dollar Pricing FOB Ontario Canada.

## STANDARD FEATURES


- 36" Diameter Log Capacity Accepts Logs up to 21' Long
- 23 HP Vanguard Briggs & Stratton Engine Electric Start
- 3 Adjustable Log Dogs/ Squaring Pins
- 24' Bed 3x6 Box Beam Trailer with Cross Supports
- Light Kit for Road Travel Fenders
- 6 Adjustable Support Legs
- Blade Lubrication System
- Centrifugal Clutch
- Extra Heavy Duty Carriage Head
- Four Post System with 2" square tube
- 12V Winch Powers Height Adjustment
- Standard Industrial 1.5" Pillow Block Bearing On Drive & Driven Bandwheels
- 19" Diameter Bandwheels
- DoubleHard Woodmizer Bandmill Blades
- Powder Coat Finish
- Standard with Hud-Son Shoe Guides
- Dual Measuring System: 4, 5, 6 & 8 Quarter Scale and Standard 1" with 1/16" Scale
- Hydraulic Log Loader
- Hydraulic Log Turner
- 12 Volt Power Feed
- Electric Brakes
- Optional Seat

see  
videos at  
[www.hud-son.com](http://www.hud-son.com)

This mill is built with the same Heavy Duty frame as the FarmBoss and H2HG with a few popular features.

This unit has our standard 36" log capacity with ability to cut 21' long logs. It comes with a 23 HP engine, adjustable power feed, a hydraulic log loader, and hydraulic log turner.

The clamping of log, and back stop adjustments are done manually.





# H2HG HYDRAULIC SAWMILL

**Call For  
Current Pricing**

2 N D G E N E R A T I O N H Y D R A U L I C M I L L



This mill comes complete with a 23 HP engine, 36" log capacity, 12 volt power lift head, 12 volt adjustable power feed, log loader, log turner, 1 hyd. log dog, 2 manual log dogs, electric starter, electric brake axle, 3 hyd. back stops. Six month warranty.

Shipping FOB Barneveld, NY  
Canadian Customers Contact Your Local  
Dealer for Canadian Dollar Pricing  
FOB Ontario Canada.

## STANDARD FEATURES

- 36" Diameter Log Capacity
- 24' Trailer w/Electric Brakes
- 23 HP V-Twin Engine with Electric Start
- 1 1/4" Blade
- Blade Lubrication System
- Centrifugal Clutch
- Extra Heavy Duty Carriage Head
- Four Post System with 2" square Tubing
- 12V Powered Winch Height Adjustment
- Standard Industrial 1.5" Pillow Block Bearings
- On Drive & Driven Bandwheels
- 19" Diameter Bandwheels
- DoubleHard Woodmizer Bandmill Blades
- Powder Coat Finish
- Hud-Son Shoe Guide Blade Support System
- Dual Measuring System: 4, 5, 6 & 8 Quarter Scale & Standard 1" w- 1/16" Scale
- Optional RPM & Hour Meter Gas Model \$85.00
- Optional 34 HP Diesel
- Optional Seat

The H2HG can be completely operated from the operator station, including engine starting, blade engagement and complete handling of the log. Head cutting speed and height adjustments are easily made with the controls in easy-to-use locations. The H2HG is powered by a 23 HP twin cylinder engine. It comes complete with 3 heavy duty hydraulic log back stops, a single center hydraulic log dog, 2 manual log dogs, hydraulic log turner and a hydraulic log loader. The mill is powered through the log with a 12 volt power feed with variable speed, while board thickness is easily controlled with the 12 volt lift system. The H2HG also comes with electric brakes and trailer lights for safe towing.

**SEE VIDEO DEMOS AT [WWW.HUD-SON.COM](http://WWW.HUD-SON.COM)**

# Oscar 52

## PORTABLE SAWMILL

**Call For  
Current Pricing**



**PRICES SUBJECT TO  
CHANGE  
WITHOUT NOTICE!**

Shipping FOB  
Barneveld, NY  
• Canadian  
Customers  
Contact Your Local  
Dealer for  
Canadian Dollar  
Pricing FOB  
Ontario Canada.

### MANY UNITS & MODELS AVAILABLE

52" Oscar cutting head with 23HP engine, no track

52" Oscar cutting head with 31HP engine, no track

52" Oscar cutting head with 34HP diesel

52" Oscar cutting head with 23 HP engine w/24' trailer

52" Oscar cutting head with 31 HP engine w/24' trailer

52" Oscar cutting head with 34 HP diesel w/24' trailer

### OPTIONS

Dog, squaring post, mounting bracket and cross shaft

24' Bed 3x6 Box Beam Trailer w/Cross Supports

RPM & Hour Meter

7' Ground tracks w/dog & squaring post system

Bandmill Blades WM221 - 1.5 for Oscar 52"

### STANDARD FEATURES

- 52" Diameter Log Capacity
- 23 HP Vanguard Briggs & Stratton Engine w/Electric Start
  - 1 1/2" Blade
- Blade Lubrication System
  - Centrifugal Clutch
- Extra Heavy Duty Carriage Head
- Four Post System with 2" square tube
  - 12V Winch Height Adjustment
- Standard Industrial 1.5" Pillow Block Bearings On Drive & Driven Bandwheels
  - 25" Diameter Bandwheels
  - Double Hard Woodmizer Bandmill Blades
  - Powder Coat Finish
- Hud-Son Shoe Guide Blade Support System
  - Dual Measuring System:
    - 4, 5, 6 & 8 Quarter Scale & Standard 1" w- 1/16" Scale



**SEE VIDEO DEMOS AT  
WWW.HUD-SON.COM**



# COMPARISON CHART

SEE LIVE VIDEOS AT [WWW.HUD-SON.COM](http://WWW.HUD-SON.COM) • 1.800.765.7297

Hud-Son Portable Sawmill Model	Log Capacity (Diameter)	Standard Engine Power	Manual Electric Start	Ground Track	Trailer Model	Weight Complete Unit
OSCAR 18	18" Log	6.5 hp	Manual	12'-2 Piece	Optional 12'	Head Weight 225 lbs Complete Unit 434 lbs.
OSCAR 228	28" Log	8 hp - std. 5 hp elec. opt.	Manual	12'-2 Piece	Optional 12'	Head Weight 325 lbs Complete Unit 550 lbs.
OSCAR 230	30" Log	10 hp - std 13 hp - opt 16 hp - opt	Manual Manual Electric	14'-2 Piece	Optional 20'	Head Weight 550 lbs Complete Unit 850 lbs.
OSCAR 236	36" Log	16 hp - std 21 hp - opt 23 hp - opt	Electric	14'-2 Piece	Optional 20'	Head Weight 650 lbs Complete Unit 950 lbs.
FARM BOSS 36	36" Log	16 hp - std 21 hp - opt 23 hp - opt 34 hp opt. diesel	Electric	Optional	Optional 24'	Head Weight 700 lbs Complete Unit 2200 lbs.
H360	36" Log	23 hp - std	Electric	N/A	Standard	Complete Unit 2500 lbs.
H2HG	36" Log	23 hp - std 34 hp opt. diesel	Electric	N/A	Standard	Complete Unit 2900 lbs.
OSCAR 52	52" Log	23 hp - std 31 hp - opt 34 hp opt. diesel	Electric	Optional	Optional	Head Only 1000 lbs.

## CAN CUSTOM BUILD ANY MILL TO MEET YOUR SPECIFIC NEEDS!

Our staff is courteous & knowledgeable and will be happy to build a mill to meet your specialty needs.

Hud-Son will also be there after the sale. If for any reason you are not satisfied with our quality, service or sales, please call our Barneveld, NY Headquarters at [1-800-765-7297](tel:1-800-765-7297) and we will be happy to assist you in any way possible.

Shipping FOB Barneveld, NY • Canadian Customers Contact Your Local Dealer for Canadian Dollar Pricing FOB Ontario Canada.


## QUALITY CRAFTSMANSHIP GOES INTO EVERY HUD-SON MILL BUILT



# Why is Hud-Son


## THE RIGHT CHOICE ...

**1. DESIGN** - Hud-Son uses a 4-Post head design, which allows for more head stability & reduces the chance for “sag” or “uneven” cuts. With an inner H-frame bearing support system, this applies less stress on the bearings & drive shafts. The H-frame uses no “camber” in the wheels for tracking. Camber causes unnecessary stress, which leads to early bearing & shaft fatigue.



**2. SERVICE** - When needed, it's simple. Easy access to all the bearings, shafts and belts makes adjustments and service simple. Blade changes are easy, no realigning or adjustments to make.

**3. BLADE GUIDES** - Hud-Son uses our very own guides. With support on the top, bottom and back of the blades, where can it go? Our guides limit the chance of blade wander. The lower support holds the blade up and decreases the chance of “diving,” while most companies use only top support. Yes, we do sell our guides separately.



**4. VALUE** - Compare, there is no other mill on the market that has standard features for the price of a Hud-Son. **NO ONE!**

**5. POWDER COATED, BAKED ON PAINT** - We care that you are completely satisfied with your recent purchase. We powder coat all our sawmills. Powder coating is durable, just like your HUD-SON! Each part is carefully prepared and coated to keep your investment looking like new for years to come.






# Because we cut WOOD ... NOT CORNERS



**6. QUALITY ASSURED** - Every single unit passes a vigorous 28-point inspection. Each sawmill is tested with wood, not just visually looked at. It is not easy to earn the right to wear the HUD-SON label.

**7. AVAILABILITY** - Our sawmills are available at more than 50 locations throughout the U.S., Canada and Europe. This brings service and availability closer to you.



**8. WARRANTY** - All our mills -small to large- have 2 -year limited warranties. We stand behind our products. We do not hide behind the small print. HUD-SON offers a 6-year shaft and bearing warranty. Warranty varies on commercially used products.

**9. WHEEL BELTS** - All our bandwheels, from 16" - 30" in size, have tight fitting grooved urethane belting. This completes the match and balance with the wheel, belt, bearings and shafts. This removes the vibration mills with "loose belts" have and improves the quality of your cut.



**10. PORTABILITY** - All HUD-SON mills are portable. Some can be moved with a 4-wheeler, some with a pick-up truck, some are light enough a man and a woman can move it. HUD-SON designs our mills with customer convenience in mind. At HUD-SON we know that portability, quality and value are as important to you as they are to us!

## s a w m i l l O P T I O N S



**Log Ramps** (for trailer units)  
Includes 2 log ramps



**Cable Log Loader & Turner**  
Includes 2500 pound  
winch and 2 ramps



**Power Feed**

Fits almost any brand mill with a  
charging system & battery. Has forward &  
reverse adjustable speed control.



**Speed Control**

# Time saving ACCESSORIES

**Call For Current Pricing -1.800.765.7297**

## HUD-SON CHAINSAW LOG DEBARKER



Turn your chain saw into a debarker, notcher or planer! Easily mounts on any saw bar. Uses .325 or 3/8" pitch chain to drive the drum that has two 3 1/4" planer blades. Use to debark and notch logs. You can make notches or debark poles for barns, fences, bridges, landscaping, log home construction and more! Save time & money, the uses for this great tool are endless. Features all ball-bearing construction for long life and durability. Comes with universal spline/sprocket system, which accommodates all pitches of saw chain and two blades. Made in China. #DB-I Free Shipping with MC -VISA - Discover Credit cards within the continental US.

## LOG WIZARD - DEBARKER

Turn your chain saw into a debarker, notcher or planer! The Log Wizard attaches easily to most any chain uses 3 1/4" planer blades. Made in Canada. Free Shipping with MC -VISA - Discover Credit cards within the continental US.



## BAND BLADE SHARPENER SEMI AUTOMATIC

- 115 Volt Power
- Accepts 1" to 2" woodcutting blades
- Gullet depth adjustment
- Adjustable tooth profile
- Adjustable speed control
- Sealed bearing roller guides
- Blade support arms
- Vise mounting (vise not included)
- Shut off timer

Note: Keeping your blades in top  
condition enhances bandmill  
efficiency, reducing operating costs.






# Time saving ACCESSORIES

*Call For Current Pricing -1.800.765.7297*

## BAND BLADE SETTERS



Blade Handsetter  
TS-101: Not Adjustable



Blade Handsetter  
A Must For Any Blade!  
TS-101A: Adjustable



## BOARDMASTER

The Boardmaster can size down a large log to fit on a small mill. The ideal chain saw accessory! Cut your own valuable lumber for use in hundreds of worthwhile projects, at a fraction of its value. Turns your chain saw into a portable sawmill & accurate cutting tool. Attaches to your chain saw and guides it along a guide board nailed onto a log to produce low cost lumber of any size or thickness. Attaches to most any model chainsaw and comes complete ready to use, with instructions. Chain saws & other brands of attachments available. Bar drilling required.

## MORE POWER PULLER - extra heavy duty -

### PARTS FOR 2-TON MODELS

P-7: Tubular safety handle 18" long w/red grip

P-11: Spring for pawl on yoke or frame

P-6-20: 20' of cable

P-6-30: 30' of cable

P-6-35: 35' of cable



2-20

2-35

2-30

3-20

## Cant Hook:

CHI73 - 3-1/2' Round Handled Cant Hook

CHI74 - 4' Round Handled Cant Hook

CHI75 - 4-1/2' Round Handled Cant Hook

Our Cant Hooks are heavy-duty and come with 2 1/2' - 5' handles. Moves logs or big cants.

Made in the U.S.A.

## Peavey:

PV121 - 3-1/2' Handle, PV Complete

PV122 - 4' Handle PV Complete

PV123 - 4-1/2' Handle, PV Complete


Cant Hook but with pointed end, 2' - 5' handles available. Made in the U.S.A.

Hookeroon: PV644- 30" Hookeroon

Perfect for moving firewood or small logs. Complete with 30" hickory handle. Special forged steel style. Made in the U.S.A.

Timber Carrier: PV422 - Timber Carrier

This husky log carrier is handy in a lot of woodsman situations, from log home building to firewood cutting. Comes with a 2 1/2" diameter x 4 1/2' long premium quality handle. Handles logs from 3" to 16" in diameter.



Timber Carrier

## Timber Jack:

PV275 Timber Jack - This two-in-one tool efficiently raises the log off the ground for easy cutting. Many chain saw chains are dulled and even ruined when the operator tries to cut the log when it's lying on the ground. The Timberjack also becomes a Cant Hook when the stand is removed ... making it easier to move or turn logs for cutting.

3 1/2' handle. Made in the U.S.A.



Timber Jack

## Log Tong:

PV685 16" Log Tongs .....

PV687 20" Log Tongs .....

PV687-25 25" Log Tongs .....

PV689 32" Log Tongs .....



Log Tongs

Designed to grab hold of poles and logs for skidding and dragging operations.

Replacement handles for tools: Be sure to tell us if your tool is blue or black in color, since the replacement handle dimensions vary in size.

**FOR CURRENT PRICING  
CALL 1.800.765.7297**



# Firewood

## BUNDLERS BY HUD-SON

*Call For  
Current Pricing*

EASILY ROLLS WHERE YOU WANT IT!

## INCREASE YOUR PROFITS!

### 3 models to choose from!

The Hud-son Firewood Bundler, comes standard with wheels to make it easier for moving around the worksite and for storage. It bundles firewood from lengths of 14" to 24". Firewood is wrapped using a standard size 11" wrap available at many retail stores and of course Hud-son. Hud-son's bundler is simple to use. Firewood is loaded into the tray, once you have your desired amount, it is ready to be wrapped. Wrapping begins by placing the wrap over the bundle then turning the hand crank to start wrapping. Once completed cut the wrap and remove the firewood bundle now ready to be sold.

- Handles Firewood length of 14" to 24" up to 12"x 12" bundles • 11" wide wrap
- Working height of 36"
- 1" pillow block bearings

The grade Stake Bundler will handle up to 5 foot stakes wrapped in 12x12 bundles side by side double wrapped rolls comes with winch for easy removal.

We have added a new style bundler to our line of wrappers.

This hitch mounted wrapper is perfect for ATV's. You can now bundle wood right where you cut it.

- 9 inch square bundles of wood
- Mounted to a 2 inch receiver hitch
- Wraps lengths of 9-18 inches.

Shipping FOB Barneveld • NY  
SEE LIVE VIDEOS AT [WWW.HUD-SON.COM](http://WWW.HUD-SON.COM)



# Hud-Son

## WOOD SPLITTERS

*Call For  
Current Pricing*

**LJVH - Horizontal Vertical Wood Splitter**



[www.hud-son.com](http://www.hud-son.com)



### STANDARD FEATURES

This new splitter is completely designed & assembled right here in Barneveld, NY. It is a horizontal/ vertical splitter with the following specifications:

- 6.5 HP Briggs & Stratton engine
- 24 ton split
- 24" Splitter
- 10-second cycle time
- road tires and a 2" ball receiver

Shipping FOB Barneveld, NY  
Canadian Customers Contact Your  
Local Dealer for Canadian Dollar  
Pricing FOB Ontario Canada.

### • THE ANIMAL •



The **ANIMAL** is fully equipped with a log loader to load those large blocks. This unit has a 36" splitter stroke, 23 HP engine, 4 way wedge, tool boxes, knuckleboom loader. By using this loader you can arrange the large blocks and pieces to be split or re-split.

This machine is very popular in the sugaring industry and with those who have outdoor furnaces. With a machine like this you can harvest the larger trees many municipalities throw away - think FREE wood.

With splitter controls mounted both near the loader and down near the splitter this unit can be efficiently run from either location.





# The Badger

## FIREWOOD PROCESSOR

*Call For  
Current Pricing*



### STANDARD FEATURES

- 16 HP Briggs & Stratton Engine w/ V Twin electric start
- 4-Way Wedge
- 22 Gallon per minute hydraulic pump
- 4"x24" Cylinder
- 2" Ball Coupler
- Will cut up to 1 full cord of wood per hour - up to 16" diameter wood with a common 3/8 saw chain
- Log cable fed with hydraulic winch
- Unlimited log length can be fed
- Blocks up to 24" long
- Weight: 2250 pounds



Shipping FOB Barneveld, NY Canadian Customers Contact Your Local Dealer  
for Canadian Dollar Pricing FOB Ontario Canada.

**CALL FOR CURRENT PRICING!**

# The Little Brute

## HYDRAULIC FIREWOOD PROCESSOR

*Call For  
Current Pricing*



The Hud-Son Little Brute Firewood Processors use separate hydraulic pumps to power hydraulic saw, hydraulic feed, splitter and loader.

You can do more motion at the same time.

Cut or split and load a log or feed a log at the same time!



The Hud-Son Little Brute's unique self centering splitter eliminates the need to center your block before splitting, both increasing production and safety!

### STANDARD FEATURES

- 23 HP Briggs & Stratton Engine, 2 cylinder, electric start
- Standard Log Loader
- Hydraulic Log Feed
- Hydraulic Log Clamp
- Hydraulic Saw
- 18" diameter Log Capacity
- 24" Splitter w/auto cycle
- 10 second cycle time
- Adjustable 4-Way Wedge (manual)
- Dual Hydraulic Pump
- 10 Gallon Hydraulic Tank
- Gravity Feed Bar Lube
- 2" Trailer Hitch
- Torsion Axle

**Available With Optional Live Deck Shown Below**



Shipping FOB Barneveld, NY • Canadian Customers Contact Your Local Dealer for Canadian Dollar Pricing FOB Ontario Canada.

### OPTIONS

Hydraulic Four-Way Wedge  
Hydraulic 2 Strand Live Deck



# The Brute-D

## HYDRAULIC FIREWOOD PROCESSOR

*Call For  
Current Pricing*

### STANDARD FEATURES

- 34 or 51 HP CAT Diesel
- Live 2 Strand Log Deck
- Hydraulic 2 or 4 Way Wedge
- 5.5 Second Splitter Cycle Time
- 10 Foot Chain Drive  
In Feed Conveyor
- Hydraulic Clamp
- Hydraulic 3/8" Chain Saw Bar
- 18" Diameter Log Capacity
- 24" Splitter w/Auto Cycle
- 30 Ton Splitting Force
- 4" x 24" Cylinder
- 27 GPM and 8 GPM Pumps

Shipping FOB Barneveld, NY

- Canadian Customers Contact

Your Local Dealer for  
Canadian Dollar Pricing  
FOB Ontario Canada.

**LITTLE BRUTE-D** - For the more serious we offer the Brute-D complemented with a Caterpillar Diesel Power Plant. The Brute-D includes all of the Little Brute options as standard features. 2 strand hydraulic live deck and hydraulic 4-way wedge standard. With the increased engine and pump size the splitter cycle time is increased to an amazing 5.5 seconds. With power and speed the Brute-D will get the job done ahead of schedule. Optional 51 HP CAT Diesel engine available.

[www.hud-son.com](http://www.hud-son.com)



# The Beast

## HYDRAULIC FIREWOOD PROCESSOR



### The Beast from Hud-Son Forest Equipment Our Most Powerful Processor!

"The Beast" is the largest edition to our line of hydraulic firewood processors. It is the answer to the question. "How do I get the most production, for my dollar? The Beast handles an amazing 26" log diameter on its 20 ft in feed deck. It is fitted with aggressive feed wheels, instead of a traditional chain or belt conveyor, that ensure optimum gripping no matter how crooked the wood. "The Beast" is equipped with a three strand Live Deck, standard 4-way wedge, 30 inch stroke, 4 inch bore cylinder with 3 inch rod all powered by a 51 HP CAT diesel engine. Sit back and watch the

amazing 5.2 second cycle time from the operator's seat. The "Joy Stick" controls and control panel make "The Beast" remarkably easy and comfortable to operate. Available 6 or 8 way wedges are optional.

"The Beast" is fully self contained and road towable. "The Beast" easily lives up to its name with production rates of 3 to 5 full cord per hour. This is a professional machine that comes with a training program included in the price.

Hud-Son Forest Equipment understands you demand the best from your equipment, let us train you how.

Shipping FOB Barneveld, NY • Canadian Customers Contact Your Local Dealer for Canadian Dollar Pricing FOB Ontario Canada.

**Call For  
Current Pricing**

## STANDARD FEATURES

- 51 HP Cat Diesel Engine
- Standard 3 Strand Live Deck w/Log Stops
- Hydraulic Log Feed
- Hydraulic Log Clamp
- Hydraulic Saw
- 25" Log Capacity
- Optical eye for accurate length
- 30" Splitter w/electric auto cycle, 5.2 sec. cycle time
- Hydraulic Adjustable 4-Way Wedge
- Dual Hydraulic Pump
- 40 Gallon Hydraulic Tank
- Gravity Feed Bar Lube
- 2" Trailer Hitch
- Dual Axle
- Electric Brakes
- Operator Station w/seat operates with joy stick and push button controls.



**Optional 6, or 8 Way Wedge**





# The Beast

## HYDRAULIC FIREWOOD PROCESSOR

[www.hud-son.com](http://www.hud-son.com)

**Call For  
Current  
Pricing**



Operator Station w/seat operates with joy stick and push button controls.



Shipping FOB Barneveld, NY  
Canadian Customers Contact Your  
Local Dealer for Canadian Dollar  
Pricing FOB Ontario Canada.

Self Centering Splitter,  
Posi Grab System,  
Bark and Splinter  
Separator Grate.  
Hydraulic Feed Rollers  
Rollers keep Even  
The Most Crooked Logs  
Feeding In  
Log Stop For Block Length



# IX Hakki Pilke

## FIREWOOD PROCESSORS

EASY TO USE JOY  
STICK CONTROLS  
(OPTIONAL)

**Call For  
Current  
Pricing**



### TECHNICAL SPECS

**1x37/1x Easy**


- Power Demand • 25-50 PTO, HP
- Output, bulk 9-10 cubic yards
- Max diameter of wood 14.5" • Optional 6-way wedge
- Standard split 2 or 4 way • Hydraulic pressure 2500 PSI • Hydraulic pump 11.6 GPM • Volume of oil tank 10.5 gal • Length of conveyor 13' (In work position) • Length of feed conveyor 7'2"

All functions of the machine are operated hydraulically, log feed, cross-cutting and height adjustment of the splitting blade. The feed conveyor carries the log into the machine. Machine operation is by the hand lever.

# IX42 Green Speed

## FIREWOOD PROCESSORS

**Call For  
Current  
Pricing**



LOG IN-FEED  
CONVEYOR

Power Requirement	30 hp
Cutting Bar	18"
Cutting Chain	3/8"-68 links
Splitting Force	from 15 ton
Standard Splitting Blade (Optional Splitting Blae 6 way & 8 way	2-way-4-way
Max log diameter	16.5
Max firewood length	24"
Hydraulic pressure	2755 psi
Hydraulic oil volume	17 gal per min.
Weight	2348 lbs
Output conveyor length	13.1" foldable
Power Source (electric model can be operated & transported by farm tractor	PTO or elec. motor



The heavy duty in-feed conveyor can quickly be put into transport or working position by using a single lever.

Shipping FOB Barneveld, NY Canadian Customers Contact Your Local Dealer for Canadian Dollar Pricing FOB Ontario Canada.



# Conveyors

## BY HUD-SON



These conveyors are constructed on a heavy steel frame and are perfect for firewood, mulch, hay, glass, recycled materials and more. All Hud-Son conveyors are available as self-contained units or hydraulic remotes. Each model has a 36" hopper try for easy loading.

*Call For Current Pricing*

Model	Type Cleated Belt/Chain	Frame	Motor	Drive System	Slide Rails	Max Height	
#C12C	Chain	3" Channel	3.5 Briggs or Hyd.	V-Belt	Channel	6' Fixed	*
#C12B	Cl. Belt	2x4 Tube	3.5 Briggs or Hyd.	V-Belt	Hardwood	6' Fixed	**
#C16C	Chain	3" Channel	3.5 Briggs or Hyd.	V-Belt	Channel	9'6"	*
#C20C	Chain	3" Channel	3.5 Briggs or Hyd.	V-Belt	Channel	11'	*
#C24C	Dbl. Chain	2x4 Tube	3.5 Briggs or Hyd.	V-Belt	Steel Plate	12'	**
#C16B	Cl. Belt	2x4 Tube	3.5 Briggs or Hyd.	V-Belt	Hardwood	9'6"	*
#C20B	Cl. Belt	2x4 Tube	3.5 Briggs or Hyd.	V-Belt	Hardwood	11'	**
#C24B	Cl. Belt	2x4 Tube	3.5 Briggs or Hyd.	V-Belt	Hardwood	12'6"	**
#C32B	Cl. Belt	2x4 Tube	3.5 Briggs or Hyd.	V-Belt	Hardwood	14'	**

\* NOT A HIGH PRODUCTION MODEL- FIREWOOD ONLY    \*\* BUILT TO FIT MOST PROCESSORS AND OTHER APPLICATIONS

Canadian Customers Contact Your Local Dealer for Canadian Dollar Pricing FOB Ontario Canada.

# Uniforest

## CABLE WINCHES



Call 1.800.765.7297  
for more technical  
information &  
current pricing. Visit  
[www.hud-son.com](http://www.hud-son.com)



These new winches, manufactured in Slovenia, are here! These winches are made to fit any size farm tractor and will turn your tractor into a safe and low impact log skidder.

With the hydraulic unit, you have the capability of operating the winch from the log versus from your tractor. The wireless remote feature allows this to happen. Less tree damage means more profit.

Excellent quality ball bearings within the rope cycles make greasing unnecessary. Breaking belt with large contact surface and the possibility of precise adjustment contributes to a great breaking force and easy unwinding of the wire rope. You can choose between 2 different connecting levels. Prebreak regulation option during the work makes the unwinding of the wire rope easier. The Uniforest winch has a pulling power of up to 17,000 pounds and fits tractors from 16HP and up.

With decades of use in Europe, these winches have stood the test of time. Call one of our salesmen today to reserve your winch!

### FORESTRY WINCHES CONTROL METHODS



Mechanical Controls



Wireless Remote



## OTHER DETAILS



Chainsaw holder




Excellent quality ball bearings within the rope cycles make greasing unnecessary.


Shipping FOB Barneveld, NY  
Canadian Customers Contact Your Local Dealer  
for Canadian Dollar Pricing FOB Ontario Canada.  
ALL PRICES ARE SUBJECT TO CHANGE  
WITHOUT NOTICE

# Uniforest

## CABLE WINCHES



Hydraulic winches are equipped with their own hydraulic system, made from a pump, reservoir, electrohydraulic controls, two hydraulic cylinders, pressure accumulator and pipes.



Breaking belt with large contact surface and the possibility of precise adjustment contributes to a great breaking force & easy unwinding of the wiry rope.



Massive casing with integrated arch represents a reliable protection from timber impacts.



Electrohydraulic Controls



Chain cycle with multilamellar clutch



You can choose between two different connecting levels.

## UNIFOREST TREE SKIDDING WINCH

Technical Data								
Model	35E	40E	40EH	50E	50EH	60E	60EH	80EH
Tractive force-lower cable position	7700 lbs	8800 lbs	8800 lbs	11,000 lbs	11,000 lbs	13,200 lbs	13,200 lbs	17,000 lbs
Standard Cable	230'x3/8	230'x7/16	230'x7/16	230'x7/16	230'x7/16	260'x7/16	260'x7/16	295'x1/2
Middle speed of cable ft/sec	2 ft/sec	2 ft/sec	3 ft/sec	2 ft/sec	3 ft/sec	2 ft/sec	3 ft/sec	3 ft/sec
Power Required HP	16-45	30-54	30-54	45-70	45-70	55-90	55-90	70+
Weight without cable	430 lbs	650 lbs	775 lbs	700 lbs	800 lbs	1075 lbs	1050 lbs	1240 lbs
Blade Width Ft	3.9 ft	4.6 ft	4.6 ft	4.9 ft	4.8 ft	5.2 ft	5.2 ft	5.9 ft
Front to Back	1.5 ft	1.6 ft	1.6 ft	1.6 ft	1.6 ft	2.5 ft	2.5 ft	2.5 ft
Winch Height	3.8 ft	4.3 ft	4.3 ft	4.7 ft	5.4 ft	5.4 ft	5.4 ft	5.4 ft
Overall Height	6.6 ft	6.6 ft	6.6 ft	7.5 ft	7.5 ft	7.5 ft	7.5 ft	7.5 ft

Wireless Control Available on EH Models Only

# Farmi

## TREE SKIDDING WINCHES

*For Current  
pricing call  
1.800.765.7297*



### JL 290

- Pulling Capacity: 6,600 lbs.
- Height: 51 1/2"
- Width: 39"
- Weight: 370 lbs.
- Drum Capacity: 290' of 5/16" Cable  
or 180' of 3/8" Cable
- Winching Speed: 40 - 200 ft. Per Minute
- Clutch: Mechanical Friction Plate  
Clutch With Heat Sink
- Power Transmission: Universal Shaft  
From Tractor
- Mounting: To Cat I 3-Point Hitch
- Recommended Tractor Size:  
Min. 17  
HP, Max. 30 HP

### JL 501

- Pulling Capacity: 11,025 lbs.
- Drum Capacity: 265' of 3/8" cable
- Winch Is Sold With: 165' of 1/2" Cable
- Winching Speed: 1 to 5 Feet/Sec.
- Height: 65"
- Width: 55"
- Weight: 630 lbs.
- Tractor Size: 40-60 hp
- Mounting: To Either Category I Or II 3-Point Hitch

### JL 351P

- Pulling Capacity: 7,720 lbs.
- Height: 58"
- Width: 48"
- Weight: 430 lbs.
- Drum Capacity: 180' of 3/8" Cable
- Winching Speed: 40 - 200' Per Minute
- Clutch: Mechanical Friction Plate  
Clutch W/Heat Sink
- Power Transmission: Universal Shaft  
From Tractor
- Mounting: To Cat I, 3-Point Hitch
- Recommended Tractor Size: Min. 20 HP, Max 40 HP

### JL 601

- Pulling Capacity: 13,200 lbs.
- Drum Capacity: 430' of 3/8" Cable, 260' of 1/2" Cable, 200' of 9/16" Cable
- Winch is sold with 165' of 9/16" Cable
- Winching Speed: 2 1/2 to 5 Feet/Sec.
- Height: 69 11/16"
- Width: 70 7/8"
- Weight: 990 lbs.
- Tractor Size: 60 - 150 HP.
- Mechanical friction plate clutch.
- Power transmission through PTO shaft and double roller chain.

### JL 351 PHD Hydraulic Skid Steer Winch

- Pulling Capacity: 7,720 lbs
- Drum Capacity: 180' of 3/8" Cable
- Winch is sold with: 165' of 3/8" Cable
- Cable Speed: 40-200 feet per minute
- Clutch: Mechanical friction plate with heat sink
- Height: 77.5"
- Width: 48"
- Weight: 750 lbs with Cable
- Hook up: To skid steer quick attachment plate
- Powered through hydraulics of skid steer

The JL 351 P is sold with 165 ft. of 5/16" steel core wire rope, end hook for wire rope and universal shaft.

Canadian Customers Contact Your Local Dealer for Canadian Dollar Pricing FOB Ontario Canada.



# Hud-Son

## ROAD TRAILERS

### STANDARD FEATURES

Model DHS12RT with BFI66 Log Loader & 16 HP Power Pack

#### TRAILER ONLY

- Length- 18'11"
- Width- 7' 4 1/2"
- Axle width- 6'7"
- Tire size- 235/80/R16
- Bunks- (4) 50" from deck
- Log deck height- 34"
- 16 HP engine
- Collapsed height 8'4"
- Boom reach- 16'6"
- 54" Grapple
- 2600LB capability at 5'3"

#### LOADER ONLY

- 16.5' Log Loader w/2600 lb Lift Capacity
- Optional 150' 4000 lb Winch Cable
- 16 HP V-Twin Power Pack W/Electric Start

Hud-Son Forest Equipment log road trailers are a great inexpensive way to forward your logs. The DHS12RT log trailer can handle up to 10,000 lbs. Trailers carrying 10,000 plus lbs will require a commercial driving license. Keep your costs down and keep your regular license while making more money hauling your own logs. Our road trailer uses a standard pintle hitch or a 2 5/16" ball for ease and common set up. Standard features include a step plate conveniently placed on the tongue of the trailer giving the operator the best visibility when loading/unloading logs. A sturdy engine mounting plate is also available for packages put together with a power pack. Simply build your own package. You have the trailer now add the Loader of your choice and Power Pack. We will have you safely forwarding logs with just the use of your pick up truck.



**Call 1.800.765.7297 for more technical information & current pricing or visit [www.hud-son.com](http://www.hud-son.com)**

Canadian Customers Contact Your Local Dealer for Canadian Dollar Pricing FOB Ontario Canada.

# Hud-Son

## LOG TRAILERS



Canadian Customers  
Contact Your Local Dealer for  
Canadian Dollar Pricing FOB  
Ontario Canada.

### Log Trailers STANDARD FEATURES

- The LT-60 log trailer is specifically designed for limited access areas
- The LT-70, LT-70A, LT-80 and LT-804A log trailers have a high load capacity for big log hauling jobs.
- The LT-70A and LT-80A feature a hydraulic articulated pole for better maneuverability.

**LOADER AND TRAILER  
SOLD SEPARATELY.**

**VISIT US ON THE WEB  
AT  
WWW.HUD-SON.COM**

**Hud-Son Off-Road Log Trailers are designed and manufactured for great durability.**

\* Indicates in stock

## CALL FOR CURRENT PRICING SPECIFICATIONS

TRAILER	* LT-60	LT-60X	* LT-70	LT-70A	* LT-80	LT-80X	LT-80A	LT-80AX
Load capacity	6 tons	6 tons	7 tons	7 tons	8 tons	8 tons	8 tons	8 tons
Width (m)	5'9"	5'9" (1,74)	6' (1,83)	6' (1,83)	6'1" (1,86)	6'3" (1,89)	6'1" (1,86)	6'3" (1,89)
Load Length	16' logs	16' logs	16' logs	16' logs	16' logs	16' logs	16' logs	16' logs
Total Length (m)	15'2" (4,6)	15'2" (4,6)	18' (5,5)	18' (5,5)	18' (5,5)	18' (5,5)	18' (5,5)	18' (5,5)
# Posts	4	4	4	4	4	4	4	4
Optional Posts	2 or 4	2 or 4	2 or 4	2 or 4	2 or 4	2 or 4	2 or 4	2 or 4
Tires	9.5L14 8 ply	11L15 10 ply	11L15 10 ply	11L15 10 ply	12.5L15 12 ply	14L16.1 12 ply	12.5L15 12 ply	14L16.1 12 ply
Articulated Pole	N/A	N/A	N/A	N/A	N/A	N/A	standard	standard
Weight (lbs/kg)	1530/695	1550/704	1570/895	2090/950	2070/941	2160/982	2190/996x	2280/1036

## QUALITY FEATURES



Rugged  
hitch  
bracket



Post support that  
allows the post  
to pivot in case  
of an impact



Tire valve  
guard



Articulated pole (on  
LT-70A &  
LT-80A models)



Rugged adjustable  
tandem  
& cross beam



Rugged posts made of  
schedule 80 tube with  
inside brace



Tandem axle  
mounted on  
brass bushings



Articulation  
cylinder (on  
LT-70A & LT-  
80A models)



# Hud-Son LOG LOADERS



HUD-SON log loaders are equipped with sectional valve with specially designed spools to eliminate back-kicks and provide smooth and progressive control in all positions. The valve support is adjustable in height, can be tilted and rotated to the most comfortable position for the operator.

The Hud-Son log loaders rugged grapples are well designed down to the smallest details. Well balanced in all positions, grapples provide a wide opening and a full 360 degree continuous rotation. Jaws are made of CHT100 steel for increased wear resistance. All pivot points on the grapple are easy to access and fully greasable.



The pivots between the masts as well as the rod and base mounts of the cylinders are all greasable to ensure durability. The pivots between the masts come with cellular structure bushings that provide constant lubrication. The rod and base mounts of the cylinders are mounted on heavy-duty bushings.

Every hose installed on a Hud-Son log loader is of high quality allowing for great flexibility while being very durable. The hose fittings are protected either by their location or by installing spacers to prevent severe bending. Hydraulic hoses are multi segmented to allow for easy and inexpensive maintenance and replacement when needed.



Rotation of mast by rack and pinion mechanism mounted in heavy duty oil filled ductile iron casing. Hardened steel rack and pinion powered by two 3-1/2"hydraulic cylinders.

## Hud-Son Grapple Loaders

These loaders are designed & manufactured for long lasting performance.



Optional Hydraulic Power Pack, 8hp manual start - 13hp manual start or 16hp electric start engine with pump and reservoir.



## S P E C I F I C A T I O N S

LOADER	BF110	BF126	BF146	BF166
Maximum reach	11'	12'6"	14'6"	16'6"
Maximum grapple opening (cm)	42" (107)	42" (107)	54-1/2" (138)	54-1/2" (138)
Minimum grapple opening (cm)	4" (10)	4" (10)	4" (10)	4" (10)
Grapple rotation	CONTINUOUS	CONTINUOUS	CONTINUOUS	CONTINUOUS
Mast rotation	380°	380°	380°	380°
Mast rotation (rack)	STANDARD	STANDARD	STANDARD	STANDARD
Net lifting capacity at maximum reach (lb/kg)	810/338	1100/499	950/431	835/379
Net Lifting capacity at 5/3" (lb/kg)	1700/771	2600/1177	2600/1177	2600/1177
Recommended hydraulic flow (gpm)	3@10	3@10	3@10	3@10
Operating pressure (psi)	2700	2700	2700	2700
Weight (lb/kg)	1133/514	1259/571	1402/636	1438/652

**CALL FOR CURRENT PRICING**

OPTIONS - Winch (4000 lbs capacity - 150' cable )  
• Step plate • Log Loader support for 3 pt. cat 1 & 2

**VISIT US ON THE WEB AT  
WWW.HUD-SON.COM**

# Grapples BY HUD-SON



Log or Bale grapples and Skidsteer grapples with continuous turn rotators are available.

VISIT US ON THE WEB AT  
[WWW.HUD-SON.COM](http://WWW.HUD-SON.COM)

CALL FOR  
CURRENT PRICING

Grapple Model	Max Grip Width	Min Opening	Max Lifting	Weight
* GR 36	35 3/4"	1 1/2"	2200 lbs	110
* GR 42	42"	4"	2800 lbs	195
* GR 50	50 3/4"	3 1/2"	3960 lbs	209
GR 50 HD	50 3/4"	3 1/2"	3960 lbs	231
* GR 54	54"	4"	3900 lbs	256
GR 60	60 1/2"	3 1/2"	6600 lbs	410
GR 60 HD	60 1/2"	5 5/16"	11,000 lbs	540
GR 100	98 7/8"	5 7/8"	15,400 lbs	960

\* Units in stock

Rotator Model	Weight
R30	36 lbs
R45	46 lbs
R6	95 lbs
R12	174 lbs
FR7	36 lbs



Skid Steer Grapple				
Model	Weight	Max Grip	Max Lifting	Claw Width
SSGR50	520 lbs	50 3/4"	3960 lbs	11"
SSGR55	695 lbs	55 1/2"	5500 lbs	16 3/8"
SSGR60	820 lbs	60 1/2"	6600 lbs	15"



Optional Hydraulic Power Pack, 8hp manual start, - 13hp manual start or 16hp electric start engine with pump and reservoir.



# Topsoil & Firewood

## SCREENERS AND SHAKERS

Landscapers/Nurseries, Contractors and Golf Course Crews ...

***Call For Current Pricing***

### STANDARD FEATURES

- Screener width opening: 8' 8"
- Vibrator screen: 8'
- Large 4' high finished product area
- Finished product can be removed with a front end loader bucket
- Upper stone separator: 74" high from the ground
- 5/8" woven wire screening
- Other screen sizes available to meet your needs
- Torsion Axle
- 3-Month Warranty on Screener
- 2-Year Warranty on Engine
- Weight: 1,850 lbs



- 3-Month Warranty on Screener
- 2-Year Warranty on Engine

VISIT US ON THE WEB AT  
WWW.HUD-SON.COM

Canadian Customers Contact Your Local  
Dealer for Canadian Dollar Pricing  
FOB Ontario Canada.

[www.hud-son.com](http://www.hud-son.com)

Screener Model 8 has a 5.5 Honda engine with gear reduction transfer system.



Built sturdy with durable, heavy-duty construction - Commercial Grade. Works great with your Bobcat loader or backhoe loader. Removes stones, sod, sticks and other debris from dry top soil. Standard features include a shaker-dumper that can be used with a bucket loader to trip or shake off excess debris from "rock screen." Removable towing hitch (For landscape contractors who may want to add dirt conveyor for high production, custom conveyors are available).

### FIREWOOD SHAKER SCREENER

VIBRATING HUD-SON FIREWOOD SCREENER - When firewood is cut green as is dries in a large pile the bark starts to fall off. When firewood producers start

loading this pile wood into trucks, with wheeled tire loaders, they also load all this loose bark.

The New HUD-SON vibrating firewood screener can help remove

unwanted loose bark before it is loaded. Set the screener up in front of your firewood elevator, dump the load of firewood on the hopper.

It will vibrate the wood down a chute removing the loose bark, dropping it back on the elevator, and loading your truck with about 80% less unwanted loose bark.

# Wood Chippers

## BY FARMI

for 3-point hitch hook up & skidsteer  
**call for current pricing**

CH 140 F	6 1/4" Wood chipper with PTO shaft and regular feed chute	585 lbs
CH 140 HF	6 1/4" Wood chipper with a hydraulic feed roller. Feed powered from tractor remote	780 lbs
CH 140 HMD/F	6 1/4" Hydraulic powered chipper, regular feed, skid-steer mounting plate	702 lbs
CH 140 HMD HF	6" Hydraulic power feed chipper, skid-steer mounting plate	900 lbs
CH 170 F	6 1/4" Cut wood chipper with PTO shaft and regular feed chute	725 lbs
CH 170 HF	Chipper with hydraulic feed roller & PTO shaft. Feed powered from hydraulic outlets on tractor	980 lbs



SKID STEER MOUNTED CHIPPER: FOR CH140 HMD/F and CH 140 HMD HF Models Only. Many models are available to suit any customer requirement.

Canadian Customers  
Contact Your  
Local Dealer for  
Canadian Dollar Pricing  
FOB Ontario Canada.

# Log Skidding Arch

## BY HUD-SON

**Call For Current Pricing**

**Turn your 4 wheeler into a log skidder!**



You can get into remote areas that you otherwise could not. Model: ATV-Arch-S Features:

- 2" hitch • 8" Standard Tires
- Comes with 1000 lb winch to lift logs & chain to hold log
- Comes unassembled
- Shipped UPS

VISIT US ON THE WEB AT [WWW.HUD-SON.COM](http://WWW.HUD-SON.COM)

Canadian Customers Contact Your Local Dealer for  
Canadian Dollar Pricing FOB Ontario Canada.

2 Different Sizes Available!  
ATV use - Shipped  
unassembled. Takes less than 30 minutes  
to assemble.

### FOREST FRIENDLY ATV-ARCH-A

- Adjustable Skidding Arch
- 2000 lbs winch
- Safety Chain
- 10" Tires
- Arch is adjustable for different log lengths. Allows most logs to be completely off the ground.
- Fully Assembled



# Hud-son Stake Sharpeners & TENON MAKERS

*Call For Current Pricing*



## Standard Equipment

- 10 HP Briggs & Stratton engine or 220V Electric motor • 3 3/4" Max stock to 1" dowel • Adjustable dowel length: 1 1/2" to 2.5" long • Clamping system to hold & center wood securely • 2-Replaceable 3 1/4" Makita planer blades

## Tenon Joint

A great tool for rustic furniture makers create lodge-style furniture, custom railing, gates, log beds, patio furniture, arbors and bar stools.

## Stake Sharpener

An innovative tool that can sharpen stakes, make survey stakes, tomato stakes and more as fast as you can feed them! • 1.5" or 2.5" models available in gas or electric

## H U D - S O N Stake Sharpener Complete Unit

1.5" Hub Capacity 6.5 hp (gas)  
1 hp (electric)

2.5" Hub Capacity 3 hp (electric)  
10 hp (gas)

VISIT US ON THE WEB AT  
[WWW.HUD-SON.COM](http://WWW.HUD-SON.COM)

**Our Warranties - Solid & Sound - We stand behind our sawmills and all our products.**

2-Year Warranty  
Gasoline Engines on your  
Hud-Son Sawmill

6-Year Warranty  
Shafts and Pillow Block Bearings  
on your Hud-Son Sawmill

2-Year Warranty  
Workmanship Defects on your  
Hud-Son Sawmill (non commercial)

## Finance Your Hud-Son Purchase

Community Bank NA  
101 Main St., Boonville, NY 13309  
• 315.942.4460

New York & Pennsylvania residents only!

Visit [www.communitybankna.com](http://www.communitybankna.com)  
for more details.

Access Equipment & Financing, LLC  
109 Brethren Dr., Pleasant Hill, OH 45359  
1.866.892.0315 toll free or visit

[www.accessequipmentfinancing.com](http://www.accessequipmentfinancing.com)

"0" down & "0" payments for 6 months  
\* New or used equipment call for more  
information. \*with approved credit.

**Financing Made Easy!**



The Hud-Son Forest Equipment  
Team Is Courteous, Knowledgeable And Is Always  
Happy To Assist You With All Of Your Forestry Needs!

**Hud-Son Forest Equipment, Inc.**  
**PO Box 345 • 8201 State Route 12**  
**Barneveld, New York 13304**  
Phone: 315-896-4316  
Fax: 315-896-2627  
email: [info@hud-son.com](mailto:info@hud-son.com)

**Place  
STAMP  
Here**

Mail to: